



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/605,782

10/27/2003

Tzu-Yu Wang

12009-US-PA

2781

31561

7590

06/06/2006

JIANQ CHYUN INTELLECTUAL PROPERTY OFFICE

7 FLOOR-1, NO. 100

ROOSEVELT ROAD, SECTION 2

TAIPEI, 100

TAIWAN

EXAMINER

GURLEY, LYNNE ANN

ART UNIT

PAPER NUMBER

2812

DATE MAILED: 06/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

H1A

Office Action Summary

Application No.

10/605,782

Applicant(s)

WANG, TZU-YU

Examiner

Lynne A. Gurley

Art Unit

2812

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 March 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-6 and 13-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 3-16 and 13-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.


LYNNE A. GURLEY

PRIMARY PATENT EXAMINER

TC 2800, AU 2812

Attachment(s)

- | | |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This Office Action is in response to the amendment and remarks, filed 3/22/06.

Currently, claims 1, 3-6 and 13-16 are pending.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claims 1, 3-6 and 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Maiti et al. (US 5,885,870, dated 3/23/99) in view of Kusumi et al. (US 6,545,312, dated 4/8/03, filed 7/3/01) and further in view of Ohmi et al. (US 6,551,948, dated 4/22/03, filed 5/31/01).

Maiti shows the method substantially as claimed, in figures 1-5 and corresponding text, as, a method for forming a nitrided tunnel oxide layer 22 (fig. 4), comprising: forming a silicon oxide layer as a tunnel oxide layer 14/16/18/20 (figs. 1-3) on a semiconductor substrate 12; performing a nitridation process to introduce nitrogen atoms into the silicon oxide layer; and

Art Unit: 2812

performing a thermal drive-in process to diffuse the introduced nitrogen atoms across the silicon oxide layer (column 2, lines 45-51). The Examiner takes the position that it is inherent that the annealing process will produce the nitrogen atoms to thermally diffuse across the silicon oxide layer. Also, see lines 6-9 for annealing relieving stress and densifying the silicon dioxide layer, which also inherently contributes to diffusivity. Also, see Ramsbey et al., US 6,252,276, column 6, lines 22-25, for subsequent annealing of nitrogen, after deposition, and its resulting diffusion through a tunnel oxide.). The nitridation process utilizes N₂ (column 2, lines 32-51). The thermal drive-in process comprises a furnace annealing process or a rapid thermal annealing process (column 3, lines 5-42). The thermal drive-in process is conducted under 850 to 1100 degrees C for 30 seconds to 1 hour (column 2, lines 44-51). Also, see column 3, lines 48-67; and, column 4, lines 1-6 and lines 18-20, especially where Maiti discloses that the process is not limited to any specific process chamber or diffusion system, could be insitu or be performed in multiple chambers and apparatuses.

Maiti lacks anticipation only in not specifically teaching that a plasma nitridation process is performed to introduce nitrogen atoms into the silicon oxide layer; that forming the silicon oxide layer comprises performing an in-situ steam generation (ISSG) process; the plasma nitridation process utilizes N₂ plasma; and, that the plasma nitridation process is conducted under a temperature lower than 400 degrees C.

Kusumi teaches a conventional process for forming a tunnel oxide by performing an in-situ steam generation (ISSG) process (fig. 15; column 26, lines 1-67; column 27, lines 1-35).

Ohmi teaches a nitridation process for tunnel oxide, also in a flash memory device, wherein a low temperature (about 400 degrees C) plasma nitridation process is used to improve

Art Unit: 2812

the characteristics of the tunnel oxide for benefits mentioned in Ohmi. See column 1, lines 14-17, lines 57-62; column 2, lines 30-41; column 3, lines 15-26; column 5, lines 15-20; column 6, lines 44-53; column 21, lines 50-59. Additionally, in embodiments 1-2, columns 8-14, Ohmi teaches that the process is applicable to both oxides and nitrides grown on a silicon substrate.

It would have also been obvious to one of ordinary skill in the art to have formed the silicon oxide layer comprising performing an in-situ steam generation (ISSG) process, in the method of Maiti, with the motivation that since Maiti forms the silicon oxide layer first, before nitriding, and Maiti discloses forming the silicon oxide by thermal process, a conventional ISSG steam process, as taught in Kusumi, would have been efficient in forming the silicon oxide layer, prior to the plasma nitridation for the reasons taught in Kusumi, such as improved reliability and nearly uniform thickness of the oxide and equal or superior quality to other oxide formation processes (Fig. 15; column 26, lines 1-67; column 27, lines 1-35 for the ISSG process as well as additional reasons and improvements by using the ISSG process).

It would have been obvious to one of ordinary skill in the art to have had a plasma nitridation process performed to implant nitrogen atoms into the silicon oxide layer, in the method of Maiti as modified by Kusumi; to have had the plasma nitridation process utilize N₂ plasma; and, to have had the plasma nitridation process be conducted under a temperature lower than 400 degrees C, in the method of Maiti as modified by Kusumi, with the motivation that Ohmi teaches a more efficient and highly effective low temperature process to use a plasma process to nitride the tunnel oxide grown on the silicon substrate, as an alternative to conventional thermal growth or CVD, while improving the device characteristics.

Art Unit: 2812

4. Claims 1, 3-6 and 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mahajani et al. (US 2005/0062098, dated 2/24/05, filed 9/23/03) in view of Ohmi et al. (US 6,551,948, dated 4/22/03, filed 5/31/01).

Mahajani shows the method substantially as claimed, in figures 1-5 and corresponding text, as, a method for forming a nitrated tunnel oxide layer 22 (fig. 4), comprising: performing an in-situ steam generation (ISSG) process to form a silicon oxide layer as a tunnel oxide layer 20 (fig. 3; [0013], [0034], [0042]-[0045]) on a semiconductor substrate 10; performing a nitridation process to introduce nitrogen atoms into the silicon oxide layer (nitride layer 30 [0035]); and performing a thermal drive-in process to diffuse the introduced nitrogen atoms across the silicon oxide layer ([0045] annealing can be performed after the oxidation process, which also may be performed in nitrogen and oxygen). The Examiner takes the position that it is inherent that the annealing process will drive-in the nitrogen atoms and produce the nitrogen atoms to thermally diffuse across the silicon oxide layer. Also, see Ramsbey et al., US 6,252,276, column 6, lines 22-25, for subsequent annealing of nitrogen, after deposition, and its resulting diffusion through a tunnel oxide.). The nitridation process utilizes NO or NH₃ or N₂O ([0036], [0045]). The thermal drive-in process comprises a conventional annealing process.

Mahajani lacks anticipation only in not specifically teaching that a plasma nitridation process is performed to introduce nitrogen atoms into the silicon oxide layer; the plasma nitridation process utilizes N₂ plasma; and, that the plasma nitridation process is conducted under a temperature lower than 400 degrees C and specifics of the nitridation process and thermal drive-in process.

Art Unit: 2812

Ohmi teaches a nitridation process for tunnel oxide, also in a flash memory device, wherein a low temperature (about 400 degrees C) plasma nitridation process is used to improve the characteristics of the tunnel oxide for benefits mentioned in Ohmi. See column 1, lines 14-17, lines 57-62; column 2, lines 30-41; column 3, lines 15-26; column 5, lines 15-20; column 6, lines 44-53; column 21, lines 50-59. Additionally, in embodiments 1-2, columns 8-14, Ohmi teaches that the process is applicable to both oxides and nitrides grown on a silicon substrate.

It would have been obvious to one of ordinary skill in the art to have had a plasma nitridation process performed to implant nitrogen atoms into the silicon oxide layer, in the method of Mahajani; to have had the plasma nitridation process utilize N₂ plasma; and, to have had the plasma nitridation process be conducted under a temperature lower than 400 degrees C, in the method of Mahajani, with the motivation that Ohmi teaches a more efficient and highly effective low temperature process to use a plasma process to nitride the tunnel oxide grown on the silicon substrate, as an alternative to conventional thermal growth or CVD, while improving the device characteristics. Processing parameters such as temperature and duration of processing and specific type of anneal such as RTP or furnace, use of N₂ plasma are considered parameters of optimization, especially without expressed criticality.

Response to Arguments

5. Applicant's arguments filed 3/22/06 have been fully considered but they are not persuasive. In response to Applicant's remarks, the prior art of record shows the method as claimed.

Art Unit: 2812

Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Prior Art of Record

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: See previously cited US 2005/0224860 and US 6,803,272 for ISSG formed tunnel oxide.


7. Additionally, the prior art made of record in the previous office action and not relied upon is considered pertinent to applicant's disclosure. See Han et al. (US 6,461,984 for a N₂O plasma oxide as a tunnel oxide. Also, see Pham (US 2003/0073288, US 6,605,511) and Guo et al. (US 5,918,125) for disclosure of nitrided tunnel oxides.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lynne A. Gurley whose telephone number is 571-272-1670. The examiner can normally be reached on M-F 7:30-4:00.

Art Unit: 2812

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Lebentritt can be reached on 571-272-1873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Lynne A. Gurley
Primary Patent Examiner
Art Unit 2812

LAG
May 30, 2006